

Package: linkedInadsR (via r-universe)

September 17, 2024

Type Package

Title Access to 'LinkedIn' Ads via the 'Windsor.ai' API

Version 0.1.0

Description Collect marketing data from 'LinkedIn' Ads using the 'Windsor.ai' API <<https://windsor.ai/api-fields/>>.

License GPL-3

URL <https://windsor.ai/>

Depends R (>= 3.5.0)

Imports jsonlite (>= 1.7.2)

Suggests knitr, rmarkdown, dplyr, ggplot2, tidy, curl

VignetteBuilder knitr

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.2.1

NeedsCompilation no

Author Pablo Sanchez [cre, aut], Windsor.ai [cph]

Maintainer Pablo Sanchez <pablosama@outlook.es>

Date/Publication 2022-10-18 12:00:02 UTC

Repository <https://pablosanmar.r-universe.dev>

RemoteUrl <https://github.com/cran/linkedInadsR>

RemoteRef HEAD

RemoteSha 1405bd99dfbda7a7936b1e39e99a6ce590f2445

Contents

fetch_linkedInads	2
my_linkedInads_data	3

Index	4
--------------	----------

fetch_linkedInads	<i>fetch_linkedInads A function to fetch LinkedIn Ads data from the windsor.ai API</i>
-------------------	--

Description

fetch_linkedInads A function to fetch LinkedIn Ads data from the windsor.ai API

Usage

```
fetch_linkedInads(  
  api_key,  
  date_from = NULL,  
  date_to = NULL,  
  fields = c("campaign", "clicks", "spend", "impressions", "date")  
)
```

Arguments

api_key	Your api key to access Windsor.ai API
date_from	The date from which to start getting data in format YYYY-MM-DD
date_to	The date until which to start getting data in format YYYY-MM-DD
fields	he fields fetched from the API for a given connector See https://www.windsor.ai/api-fields/ for details.

Value

A data frame with the desired data

Examples

```
## Not run:  
fetch_LinkedInads <- (api_key = "your api key",  
  date_from = "2022-10-01",  
  date_to = "2022-10-02",  
  fields = c("campaign", "clicks",  
    "spend", "impressions", "date"))  
  
## End(Not run)
```

my_linkedInads_data *Sample data of LinkedIn ads from the Windsor API.*

Description

A dataset containing sample LinkedIn ads data fetched from windsor.ai API. See more at: <https://windsor.ai/>

Usage

```
my_linkedInads_data
```

Format

A data frame with 164 rows and 5 variables:

campaign name of the campaign

clicks number of clicks

spend spend data

impressions impressions data

date date

Source

<https://windsor.ai/>

Index

* datasets

my_linkedInads_data, [3](#)

fetch_linkedInads, [2](#)

my_linkedInads_data, [3](#)