

Package: taboolaR (via r-universe)

August 26, 2024

Type Package

Title Get Data from 'Taboola' via the 'Windsor.ai' API

Version 0.1.0

Description Collect your data on digital marketing campaigns from 'Taboola' using the 'Windsor.ai' API
<<https://windsor.ai/api-fields/>>.

License GPL-3

URL <https://windsor.ai/>

Depends R (>= 3.5.0)

Imports jsonlite (>= 1.7.2)

Suggests knitr, rmarkdown, dplyr, ggplot2, tidyr, curl

VignetteBuilder knitr

Encoding UTF-8

Language en-US

LazyData true

RoxygenNote 7.2.1

NeedsCompilation no

Author Pablo Sanchez [cre, aut], Windsor.ai [cph]

Maintainer Pablo Sanchez <pablosama@outlook.es>

Date/Publication 2022-11-16 11:50:02 UTC

Repository <https://pablosanmar.r-universe.dev>

RemoteUrl <https://github.com/cran/taboolaR>

RemoteRef HEAD

RemoteSha 807834f863ff1fe7c03c034b52dc402eb4efb4dd

Contents

fetch_taboola	2
my_taboola_data	3

Index	4
--------------	----------

fetch_taboola	<i>fetch_taboola</i> A function to fetch Taboola data from the windsor.ai API
---------------	---

Description

fetch_taboola A function to fetch Taboola data from the windsor.ai API

Usage

```
fetch_taboola(  
  api_key,  
  date_from = NULL,  
  date_to = NULL,  
  fields = c("campaign", "clicks", "spend", "impressions", "date")  
)
```

Arguments

api_key	Your api key to access Windsor.ai API
date_from	The date from which to start getting data in format YYYY-MM-DD
date_to	The date until which to start getting data in format YYYY-MM-DD
fields	he fields fetched from the API for a given connector See https://windsor.ai/api-fields/ for details.

Value

A data frame with the desired data

Examples

```
## Not run:  
my_taboola_data <- fetch_taboola(api_key = "your api key",  
  date_from = "2022-10-01",  
  date_to = "2022-10-02",  
  fields = c("campaign", "clicks",  
    "spend", "impressions", "date"))  
  
## End(Not run)
```

my_taboola_data	<i>Sample of digital marketing data from Taboola downloaded by means of the Windsor.ai API.</i>
-----------------	---

Description

A dataset containing sample Taboola data fetched from windsor.ai API. See more at: <https://windsor.ai/>

Usage

my_taboola_data

Format

A data frame with 164 rows and 5 variables:

campaign name of the campaign

clicks number of clicks

spend spend data

impressions impressions data

date date

Source

<https://windsor.ai/>

Index

* datasets

my_taboola_data, [3](#)

fetch_taboola, [2](#)

my_taboola_data, [3](#)